



přehled sortimentu
**tvarovky
mosazné**



Na požádání Vám dodáme
kompletní katalogové listy.

MANVER s.r.o.

Hellichova 1096
289 11 Pečky

telefon +420 777 655 803
+420 777 655 804

tel.fax. 321 674 588


e-mail info@manver.cz

www.manver.cz

EN:1254-4

GB - 090 Elbow brass FF

CZ - 090 Koleno mosazné FF




Code	Size (inch)	A (mm)	Pack (pcs)
MM09038	3/8	20,0	10/700
MM09012	1/2	26,0	10/400
MM09034	3/4	31,0	10/150
MM0901	1	34,0	10/100

EN:1254-4

GB - 092 Elbow brass MF

CZ - 092 Koleno mosazné MF




Code	Size (inch)	A (mm)	B (mm)	Pack (pcs)
MM09238	3/8	31,0	28,0	10/700
MM09212	1/2	43,0	41,0	10/300
MM09234	3/4	38,0	38,0	10/150
MM0921	1	60,0	60,0	10/100


EN:1254-4

GB - 097 Radiator angle union brass MF

CZ - 097 Radiátorové šroubení rohové mosazné MF




Code	Size (inch)	A (mm)	B (mm)	Pack (pcs)
MM09712	1/2	44,0	25,0	10/300
MM09734	3/4	59,0	25,0	10/150



EN:1254-4

GB - 130 Tee reduced brass FFF

CZ - 130 T-kus mosazný FFF




Code	Size (inch)	A (mm)	Pack (pcs)
MM13038	3/8	20,3	10/400
MM13012	1/2	21,5	10/250
MM13034	3/4	26,0	10/200
MM1301	1	34,5	10/100

EN:1254-4

GB - 240 Socket reduced brass FF

CZ - 240 Nárubek redukovaný
mosazný FF




Code	Size (inch)	A (mm)	B (mm)	C (mm)	Pack (pcs)
MM2401238	1/2x3/8	31,5	25,4	21,0	10/800
MM2403412	3/4x1/2	27,0	21,4	27,0	10/400
MM240134	1x3/4	34,0	38,0	34,0	10/250

EN:1254-4

GB - 241 Reduction brass MF

CZ - 241 Redukce mosazná MF




Code	Size (inch)	A (mm)	Pack (pcs)
MM2411418	1/4x1/8	16,0	10/1300
MM2413814	3/8x1/4	17,5	10/1200
MM2411214	1/2x1/4	17,0	10/1000
MM2411238	1/2x3/8	17,0	10/1000
MM2413412	3/4x1/2	21,0	10/700
MM2413438	3/4x3/8	20,5	10/700
MM241112	1x1/2	19,2	10/500
MM241134	1x3/4	19,5	10/500
MM241541	1 1/4x1	24,0	10/250

EN:1254-4

GB - 245 Nipple reduced brass MM

CZ - 245 Vsuvka redukovaná
mosazná MM




Code	Size (inch)	A (mm)	B (mm)	C (mm)	D/E (mm)	Pack (pcs)
MM2453814	3/8x1/4	21,0	6,0	7,0	17/19,6	10/1000
MM2451214	1/2x1/4	23,5	7,2	10,3	21/24	10/1000
MM2451238	1/2x3/8	23,5	7,2	10,3	21/24	10/1000
MM2453412	3/4x1/2	28,5	12,0	10,0	27/30,8	10/500
MM245134	1x3/4	32,0	13,2	11,4	34/39	10/300
MM245541	1 1/4x1	39,0	14,0	15,0	42/48,5	10/200

EN:1254-4

GB - 270 Socket brass FF

CZ - 270 Nárubek mosazný FF




Code	Size (inch)	A (mm)	Pack (pcs)
MM27014	1/4	20,0	10/1700
MM27038	3/8	23,0	10/1000
MM27012	1/2	28,0	10/500
MM27034	3/4	33,0	10/400
MM2701	1	31,5	10/250

EN:1254-4

GB - 280 Nipple brass MM

CZ - 280 Vsuvka mosazná MM




Code	Size (inch)	A (mm)	B (mm)	C (mm)	Pack (pcs)
MM28014	1/4	22,0	14,0	16,0	10/2000
MM28038	3/8	20,0	17,0	19,6	10/1300
MM28012	1/2	26,0	21,0	24,0	10/1100
MM28034	3/4	29,0	27,0	31,0	10/500
MM2801	1	32,5	33,0	37,6	10/400
MM28054	1 1/4	38,0	42,0	48,5	10/250
MM28064	1 1/2	53,0	48,0	55,0	10/250
MM2802	2	56,0	60,0	69,3	10/75

EN:1254-4

GB - 290 Plug brass M

CZ - 290 Zátka mosazná M




Code	Size (inch)	C (mm)	Pack (pcs)
MM29038	3/8	15,0	10/2000
MM29012	1/2	16,0	10/1500
MM29034	3/4	17,0	10/1000

EN:1254-4

GB - 301 Cap brass F

CZ - 301 Víčko mosazné F




Code	Size (inch)	a (mm)	s (mm)	Pack (pcs)
MM30038	3/8	11,0	19,0	10/2000
MM30012	1/2	13,0	23,0	10/1500
MM30034	3/4	15,0	30,0	10/1000


EN:1254-4

GB - 331 Radiator union straight brass MF

CZ - 331 Radiátorové šroubení přímé mosazné MF



Code	Size (inch)	A (mm)	z1 (mm)	Pack (pcs)
MM33112	1/2	39,0	31,0	10/380
MM33134	3/4	54,0	43,0	10/200



EN:1254-4

GB - 550 Extension brass

CZ - 550 Prodloužení mosazné


PL - 550 Mosiężna przedłużka

SK - 550 Predĺženie mosadzné

HU - 550 Csap hosszabító sárgaréz

RO - 550 Prelungitor alama

IT - 550 Prolunga in ottone



Code	Size (inch)	A (mm)	B (mm)	D (mm)	Pack (pcs)
MM5501210	1/2x10	26,8	10,0	14,0	10/1000
MM5501215	1/2x15	26,8	15,0	14,0	10/800
MM5501220	1/2x20	26,8	20,0	14,0	10/700
MM5501225	1/2x25	26,8	25,0	14,0	10/600
MM5501230	1/2x30	26,8	30,0	14,0	10/600
MM5501240	1/2x40	26,8	40,0	14,0	10/400
MM5501250	1/2x50	26,8	50,0	14,0	10/350
MM5503410	3/4x10	32,6	10,0	17,5	10/500
MM5503420	3/4x20	32,6	20,0	17,5	10/400
MM5503430	3/4x30	32,6	30,0	17,5	10/300
MM5503440	3/4x40	32,6	40,0	17,5	10/250



MOSAZNÉ TVAROVKY

- **Vyrobeno podle normy:**
 - EN 1254-4
 - **Materiál:**
 - Mosaz CW617N
 - Jsou vyráběny lisováním, mechanickým obráběním. Po lisování jsou výrobky brokované
 - **Velikost připojení:**
 - Od 1/4" do 4"
 - **Typ spoje:**
 - Jsou určeny pro spojování součástí se závitem podle ISO 7-1. Vnější závity R mají kuželovitost 1:16, vnitřní závity Rp jsou válcové.
- Přítužné matice, přesuvné matice šroubení a jejich proti kusy mají závity podle ISO 228-1.
- **Povrchová úprava:**
 - Dodávají se bez povrchové úpravy.
 - **Použití ve stavbě:**
 - Tvarovky se používají pro přepravu vody, tlakového vzduchu, zemního plynu, propanu, butanu, směsi propan-butan, lehkých topných olejů, neabrazivních a neagresivních tekutin do dovoleného tlaku a teploty.
 - **Pracovní parametry:**
 - Pracovní tlak 0,8 MPa a teploty do 100°C



BRASS FITTINGS

- **Produced according of norm:**
 - EN 1254-4
- **Material:**
 - Brass CW617N
 - Are produced by stamping, mechanical cutting. After stamping are products shot peening.
- **Size of connection:**
 - From 1/4" to 4"
- **Type of connection:**
 - Are serves for connection of parts with thread according of ISO 7-1. Outer threads R have conicalness 1:16, inner threads Rp are cylindrical. The checknut, union nut of screwed fitting and their companion parts have threads according of ISO 228-1.
- **Surface Treatment:**
 - Are supplying without any surface treatment.
- **Usage for building:**
 - Fittings are using for transport of water, compressed air, natural gas, propane, butane, bottled gas mixture, light furnace oil, nonabrasive and nonaggressive liquids.
- **Working parameters:**
 - Working pressure 0,8 MPa and temperatures till to 100°C